


SS PowerClamp Railless



DATA SHEET



PRODUCT FEATURES



- / Fits multiple standing seam metal roof profiles
- / Non-penetrating seam clamp maintains roof integrity
- / Seam clamp and mounting rail all in one piece
- / Minimize freight cost and simplify distribution
- / Low part count reduces assembly steps and installation cost
- / 1" of module adjustability along rail once installed
- / Ball point set screw and detent ensure secure attachment

TECHNICAL DATA



	SS PowerClamp Railless
Material	6000 Series Aluminum, Steel Ball Point Set Screw
Finish	Mill
Tensile strength	34.8ksi (240Mpa)
Yield strength	31.2ksi (215Mpa)
Weight	0.7 lbs/piece (0.32 kg)

Unit: in [mm]



Item Number	Description	Part Number
1	SS PowerClamp Railless	4000532 SS PowerClamp Railless, Kit 4000533 SS PowerClamp Railless Kit, Dark
2	Screw Oval 3-8in X 1.75in, 13mm	




SYSTEM COMPONENTS



SS PowerClamp Railless, Kit

Part Number	Description
4000532	SS PowerClamp Railless, Kit
4000533	SS PowerClamp Railless Kit, Dark



K2 Cross Clamp

Part Number	Description
4000135	K2 Cross Clamp Set, Mill
4000145	K2 Cross Clamp Set, Dark



K2 Ground Lug

Part Number	Description
4000006-H	K2 Ground Lug, 13mm Hex Set



MLPE, Module Frame Mount, Kit

Part Number	Description
4000083	MLPE, Module Frame Mount, Kit




ILSCO Lug

Part Number	Description
4000960	ILSCO, SGB-4, 4-14 SOL-STR



Connecting Strength



K2 Systems, LLC

4665 North Ave. Suite I • Oceanside, CA 92056 •
USA +1.760.301.5300 • info@k2-systems.com
www.k2-systems.com/en-us